# SAFETY DATA SHEET



#### Castrol Transmax Import Multi-Vehicle

# Section 1. Identification

GHS product identifier	Castrol Transmax Import Multi-Vehicle
Product code	467634-US12
SDS #	467634
Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/ mixture	Transmission fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: (973) 633-2200
Supplier	Wakefield Canada Inc. 3620 Lakeshore Blvd West Toronto, Ontario, Canada M8W 1P2 Phone Number - 416-252-5511
EMERGENCY HEALTH INFORMATION:	1 (800) 447-8735
	Outside the US: +1 703-527-3887 (CHEMTREC)
EMERGENCY TELEPHONE NUMBER	1 (800) 447-8735
	Outside the US: +1 703-527-3887 (CHEMTREC)

### Section 2. Hazard identification

Classification of the substance or mixture	Not classified.
GHS label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
General	P103 - Read label before use. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Other hazards which do not result in classification	Defatting to the skin.

### Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Ingredient name	CAS number	% (w/w)
₱istillates (petroleum), hydrotreated heavy paraffinic Base oil - highly refined	64742-54-7 Varies - See Key to abbreviations	≥25 - ≤50 ≥25 - ≤50
Base oil - highly refined	Varies - See Key to abbreviations	≥10 - ≤25

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

#### Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

#### Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
Specific treatments	No specific treatment.

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	ombustion products may include the following: carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide)
Special protective actions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

### Section 6. Accidental release measures

Personal precautions, protectiv	ve equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for con	tainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

# Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name		Exposure limits		
Base oil - highly refined		CA Alberta Provincial (Canada). 15 min OEL: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 7/2009 Form: Mist 8 hrs OEL: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 4/2004 Form: Mist CA Quebec Provincial (Canada). STEV: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 1/2000 Form: mist TWAEV: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 1/2000 Form: mist		
Distillates (petroleum), hydrotreated heavy paraffinic		CA Alberta Provincial (Canada). 8 hrs OEL: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 4/2004 Form: Mist 15 min OEL: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 7/2009 Form: Mist		
Product name C	astrol Transmax Import Multi-Vehicle	Product code 4676	634-US12	Page: 3/9
Version 5	Date of issue 09/26/2018.	Format Canada	Langua	age ENGLISH
		(Canada)		(ENGLISH)

Section 8. Exposu		
		CA Quebec Provincial (Canada). TWAEV: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 1/2000 Form: mist STEV: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 1/2000 Form: mist
Base oil - highly refined		CA Alberta Provincial (Canada). 15 min OEL: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 7/2009 Form: Mist 8 hrs OEL: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 4/2004 Form: Mist CA Quebec Provincial (Canada). STEV: 10 mg/m <sup>3</sup> 15 minutes. Issued/Revised: 1/2000 Form: mist TWAEV: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 1/2000
		Form: mist
Appropriate engineering controls	ensure exposures are a only be considered afte have been suitably eval	nemicals should be assessed for their risks to health, to dequately controlled. Personal protective equipment should r other forms of control measures (e.g. engineering controls uated. Personal protective equipment should conform to be suitable for use, be kept in good condition and properly
	Your supplier of person selection and appropria organisation for standar Provide exhaust ventila airborne concentrations The final choice of prote	al protective equipment should be consulted for advice on te standards. For further information contact your national ds. tion or other engineering controls to keep the relevant below their respective occupational exposure limits. ective equipment will depend upon a risk assessment. It is t all items of personal protective equipment are compatible.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measu	res	
Hygiene measures	Wash hands, forearms eating, smoking and us Appropriate techniques Wash contaminated clo	and face thoroughly after handling chemical products, befor ing the lavatory and at the end of the working period. should be used to remove potentially contaminated clothing thing before reusing. Ensure that eyewash stations and e to the workstation location.
Eye/face protection	Safety glasses with side	e shields.
Skin protection		
Hand protection	resistant gloves. Recor gloves depends upon the and the condition of the down after repeated cho- protection before they n environments and mate developed for each inter consultation with the su working conditions.	if prolonged or repeated contact is likely. Wear chemical nmended: Nitrile gloves. The correct choice of protective he chemicals being handled, the conditions of work and use, gloves (even the best chemically resistant glove will break emical exposures). Most gloves provide only a short time of hust be discarded and replaced. Because specific work rial handling practices vary, safety procedures should be nded application. Gloves should therefore be chosen in pplier/manufacturer and with a full assessment of the
Body protection	Personal protective equ being performed and th before handling this pro Cotton or polyester/cott superficial contaminatio	ng is good industrial practice. ipment for the body should be selected based on the task e risks involved and should be approved by a specialist duct. on overalls will only provide protection against light n that will not soak through to the skin. Overalls should be basis. When the risk of skin exposure is high (e.g. when
Product name Castrol Transma	-	Product code 467634-US12 Page: 4/9

Product name Castrol Transmax Import Multi-Vehicle		Product code	467634-US12	Page: 4/9
Version 5	Date of issue 09/26/2018.	Format Canada	Langu	age ENGLISH
		(Canada)		(ENGLISH)

### Section 8. Exposure controls/personal protection

	and/or impervious chemical suits and boots will be required.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

# Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Color	Red.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Øpen cup: >170°C (>338°F) [Cleveland.]
Pour point	<mark>,</mark> <b>4</b> 2 °C
Drop Point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density	✓1000 kg/m³ (<1 g/cm³) at 15°C
Relative density	Not available.
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 33.65 mm²/s (33.65 cSt) at 40°C Kinematic: 7.3 to 8.3 mm²/s (7.3 to 8.3 cSt) at 100°C

# Section 10. Stability and reactivity

Date of issue 09/26/2018.

Version 5

Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.		
Chemical stability	The product is stable.		
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.		
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).		
Product name Castrol Transma	IX Import Multi-Vehicle Product code 467634-US12 Page: 5/9		

**Format Canada** 

(Canada)

Language ENGLISH

(ENGLISH)

### Section 10. Stability and reactivity

**Incompatible materials** 

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### Aspiration hazard

Name		Result	
Base oil - highly refined Distillates (petroleum), hydroti	reated heavy paraffinic	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1	
nformation on the likely routes of exposure	Routes of entry anticipated: I	Dermal, Inhalation.	
Potential acute health effects			
Eye contact	No known significant effects	or critical hazards.	
Skin contact	Defatting to the skin. May ca	ause skin dryness and irritation.	
Inhalation	Vapor inhalation under ambient conditions is not normally a problem due to low vapor pressure.		
Ingestion	No known significant effects	or critical hazards.	
Symptoms related to the phys	sical, chemical and toxicologi	cal characteristics	
Eye contact	No specific data.		
Inhalation	May be harmful by inhalation if exposure to vapor, mists or fumes resulting from thermal decomposition products occurs.		
Skin contact	Adverse symptoms may inclu irritation dryness cracking	ude the following:	
Ingestion	No specific data.		
Delayed and immediate effect	s and also chronic effects fro	<u>m short and long term exposure</u>	
<u>Short term exposure</u>			
Potential immediate effects	Not available.		
Potential delayed effects	Not available.		
Long term exposure			
Potential immediate effects	Not available.		
Potential delayed effects	Not available.		
Potential chronic health effe	<u>cts</u>		
General	No known significant effects	or critical hazards.	
Carcinogenicity	No known significant effects	or critical hazards.	
Mutagenicity	No known significant effects	or critical hazards.	
Teratogenicity	No known significant effects	or critical hazards.	
Developmental effects	No known significant effects	or critical hazards.	
Fertility effects	No known significant effects	or critical hazards.	
Numerical measures of toxici	<u>ty</u>		
Acute toxicity estimates			
Not available.			

### Section 12. Ecological information

#### **Toxicity**

No testing has been performed by the manufacturer.

#### Persistence and degradability

Expected to be biodegradable.

#### **Bioaccumulative potential**

This product is not expected to bioaccumulate through food chains in the environment.

Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

### Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user Not available.

# Section 14. Transport information

Transport in bulk according Not available. to Annex II of MARPOL and the IBC Code

### Section 15. Regulatory information

#### **Other regulations**

Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	At least one component is not listed.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
United States inventory (TSCA 8b)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	26/09/2018
Date of previous issue	13/12/2016.
Version	5
Prepared by	Product Stewardship
Key to abbreviations	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS Number = Chemical Abstracts Service Registry Number GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] UN = United Nations Varies = may contain one or more of the following 101316-69-2, 101316-70-5, 101316-71-6, 101316-72-7, 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-64-9, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 90669-74-2
References	Not available.

**V** Indicates information that has changed from previously issued version.

Notice to reader

Product name Ca	astrol Transmax Import Multi-Vehicle	Product code	467634-US12	Page: 8/9
Version 5	Date of issue 09/26/2018.	Format Canada	Language ENGLISH	
		(Canada)		(ENGLISH)

# Section 16. Other information

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.